From the INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

To:

NOVAGRAAF PATENTS LIMITED The Crescent 54 Blossom Street York Y024 1AP GRANDE BRETAGNE PCT

NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Rule 71.1)

Date of mailing

(day/month/year)

07.07.2004

Applicant's or agent's file reference

P3096 WO ORD

IMPORTANT NOTIFICATION

International application No. PCT/GB 03/02473

International filing date (day/month/year) 09.06.2003

Priority date (day/month/year)

06.07.2002

Applicant

KAPITEX HEALTHCARE LIMITED et al.

- 1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- 3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

The applicant's attention is drawn to Article 33(5), which provides that the criteria of novelty, inventive step and industrial applicability described in Article 33(2) to (4) merely serve the purposes of international purposes of deciding and that "any Contracting State may apply additional or different criteria for the purposes of deciding whether, in that State, the claimed inventions is patentable or not" (see also Article 27(5)). Such additional criteria may relate, for example, to exemptions from patentability, requirements for enabling disclosure, clarity and support for the claims.

Name and mailing address of the international preliminary examining authority:

European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Authorized Officer

Schmidbauer, A

Tel. +49 89 2399-8222





(PCT Article 36 and Rule 70)

Applicant's or agent's file reference P3096 WO ORD International application No. PCT/GB 03/02473		FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416) International filing date (day/month/year) O9.06.2003 Priority date (day/month/year) O9.07.0009				
Applicant	IFALTI O A DE L					
TAFILEX	HEALTHCARE LIMITE) et al.				
1. This int Authori	ternational preliminary ex ty and is transmitted to th	amination report has been prepared by this International Preliminary Examining e applicant according to Article 36.				
2. This RE	EPORT consists of a total	of 6 sheets, including this cover sheet.				
⊠ Ti be (s	nis report is also accompa	nied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have basis for this report and/or sheets containing rectifications made before this Authority of the Administrative Instructions under the PCT).				
		lating to the following items:				
I ⊠	Basis of the opinion					
	Priority					
III 🗵	Non-establishment of o	pinion with regard to novelty, inventive step and industrial applicability				
	Eack of drifty of lifteliff	on .				
V ⊠	Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability:					
VI 🗆	Certain documents cite	d ·				
VII 🗆	Certain defects in the in	ternational application				
VIII 🗆	Certain observations or	the international application				
e of submission	on of the demand					
,		Date of completion of this report				
.01.2004		07.07.2004				
ininary exami	address of the international ning authority:	Authorized Officer				
))) Tel.	opean Patent Office 0298 Munich . +49 89 2399 - 0 Tx: 523656	epmu d Borowski, A				
rax	: +49 89 2399 - 4465	Telephone No. +49 39 2399-2758				

International application No.

PCT/GB 03/02473

I.	Basis	of	the	re	port
----	-------	----	-----	----	------

1. With regard to the **elements** of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)):

	D	Description, Pages						
	1.	, 2, 4-10	as originally filed					
	3		filed with telefax on 18.06.2004					
	С	laims, Numbers						
	1-4, 5 (part), 10 (part), 11		received on 05.02.2004 with letter of 03.02.2004					
	5	(part), 6-9, 10 (part)	filed with telefax on 18.06.2004					
	Di	Drawings, Figures						
	1 <i>A</i>	A, 1B, 2, 3	as originally filed					
2	With regard to the language, all the elements marked above were available or furnished to this Authority language in which the international application was filed, unless otherwise indicated under this item.							
	Th	hese elements were available or furnished to this Authority in the following language: , which is:						
		the language of a t	the language of a translation furnished for the purposes of the international search (under Rule 23.1(b)).					
		the language of publication of the international application (under Rule 48.3(b)).						
		the language of a translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3).						
3.	Wi	With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international examination was carried out on the basis of the sequence listing:						
			ernational application in written form.					
			he international application in computer readable form.					
	furnished subsequently to this Authority in written form.							
			ntly to this Authority in computer readable form.					
		The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.						
			the information recorded in computer readable form is ideal; at a standard of the standard of					
4.	The	he amendments have resulted in the cancellation of:						
		the description,	pages:					
		the claims,	Nos.:					
		the drawings.	sheets:					

International application No.

PCT/GB 03/02473

5. 🛘	This report has been estable been considered to go be	ablished as if (son eyond the disclosu	ne of) the amendments had not been made, since they have						
	(Any replacement sheet of report.)	containing such ar	mendments must be referred to under item 1 and annexed to this						
6. Add	6. Additional observations, if necessary:								
III. No	n-establishment of opinion	on with regard to							
III. Non-establishment of opinion with regard to novelty, inventive step and industrial applicability									
obv	The questions whether the claimed invention appears to be novel, to involve an inventive step (to be non-obvious), or to be industrially applicable have not been examined in respect of:								
the entire international application,									
\boxtimes	claims Nos. 10 11								
	because:								
	the said international application, or the said claims Nos. relate to the following subject matter which does not require an international preliminary examination (specify):								
\boxtimes									
	see separate sheet								
□ t	he claims, or said claims N could be formed.	los. are so inadeqi	uately supported by the description that no meaningful opinion						
⊠ r	o international search repo	ort has been estab	lished for the said claims Nos. 10,11						
 A me 	A meaningful international preliminary examination cannot be carried out due to the failure of the nucleotide and/ or amino acid sequence listing to comply with the standard provided for in Annex C of the Administrative								
□ tł	_								
☐ th	e computer readable form	has not been furn	ished or does not comply with the Standard.						
V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement									
1. Statement									
Novelt	y (N)	Yes: Claims No: Claims	1-9						
Inventi	ve step (IS)	Yes: Claims No: Claims	1-9						
Industr	al applicability (IA)	Yes: Claims No: Claims	1-9						

^{2.} Citations and explanations

International application No.

PCT/GB 03/02473

see separate sheet

Re Item III

Non-establishment of opinion with regard to novelty, inventive step and industrial applicability

- III.1 Claims 10 and 11 relate to subject-matter considered by this Authority to be covered by the provisions of Rule 67.1(iv) PCT, as it discloses a method for treatment of the human or animal body by surgery: a method for mounting a cannula in a tracheostomy (decision of the Board of Appeal T182/90 should be observed). Consequently, no opinion will be formulated with respect to the industrial applicability of the subject-matter of these claims (Article 34(4)(a)(i) PCT).
- III.2 Furthermore claim 11 does not meet the requirements of Article 6 PCT in that the matter for which protection is sought is not clearly defined. Said claim contains a reference to the drawing. According to Rule 6.2(a) PCT, claims should not contain such references except where absolutely necessary, which is not the case here.

Re Item V

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

The document D4 was not cited in the international search report. A copy of the document is appended hereto.

D4: US-A-4 489 723 (ELLIOT SIMONS; BOULOS ROBERT) 25 December 1984 (1984-12-25)

Document **D4** is regarded as being the closest prior art to the subject-matter of claim 1, and shows s tracheostomy cannula mounting for assisting in the mounting of a cannula within a stoma of a tracheostomy patient comprising a generally planar sheet portion provided with an aperture therein of suitable size and shape to engage a channel portion of a tracheostomy cannula in interference fit so as to present a rearward mounting face adapted in use to lie against the skin of the tracheostomy patient in the vicinity of the stoma, wherein the material from which the sheet is fabricated comprises silicone rubber at least in the vicinity of the mounting face.

The subject-matter of claim 1 differs from this known device in that the material from

INTERNATIONAL PRELIMINARY International application No. PCT/GB03/02473 EXAMINATION REPORT - SEPARATE SHEET

which the sheet is fabricated comprises a tacky silicone gel material.

The subject-matter of claim 1 is therefore new (Article 33(2) PCT).

The problem to be solved by the present invention may be regarded as how to provide a more effective, reusable air seal between a tracheal cannula and a tracheostomy.

The solution to this problem proposed in claim 1 of the present application is considered as involving an inventive step (Article 33(3) PCT) for the following reasons:

- Document D4 teaches a use of Vaseline or the like lubricants to be employed between the silicone sealing member and the throat surface in order to provide a water tight seal about the tracheal stoma. Such additional substances can however irritate the skin and are more complicated in use;
- Document D1 (US-A-3 640 741) discloses a sealing ring made from a tacky gel to be used for a slow release of medications to the patient's skin around a stoma (colostomy, ileostomy). However the sealing ring of D1 comprises a material, which is not silicone and is completely soluble, therefore the ring cannot be reused. Furthermore the document teaches, that silicone is not suitable for the specific application, as it does not dissolve. D1 does not mention tacky silicone;
- An application of tacky silicone gel material for sealing purposes is not known from the prior art.

Claims 2-9 are dependent on claim 1 and as such also meet the requirements of the PCT with respect to novelty and inventive step.

- V.3 Independent claim 1 should have been written in the two-part form in accordance with Rule 6.3(b) PCT, with those features known from the prior art (document D1) being placed in the preamble (Rule 6.3(b)(i) PCT) and with the remaining features being included in the characterising part (Rule 6.3(b)(ii) PCT).
- V.4 The features of the claims should have been provided with reference signs placed in parentheses (Rule 6.2(b) PCT).

5

10

15

20

25

3

central channel portion adapted to sit within the stoma to provide an air passage therethrough into the trachea, a forward section provided with a mounting for a stoma filter, valve or the like, and a rearward mounting section comprising an area of greater cross section, for example in the form of a resilient flange, which sits within the trachea and bears onto the tracheal surface to retain the cannula within the stoma. Such devices are fabricated of material having a degree of flexible resilience, for example medical grade silicone rubber. This assists in insertion and removal. The resilient nature of the material assists in effecting a reasonable seal between the edges of the stoma and the outer face of the central portion of the cannula, but the seal is not always perfect.

In problem patients, it has in consequence sometimes proved necessary to apply an additional seal in the form of an adhesive material between the skin around the stoma in the tracheal regions and the central portion of the cannula for example comprising medical adhesive fabric sheet or tape. Such as solution is not ideal. Any such adhesive sheet or tape would need frequent changing for hygiene purposes and the used sheet or tape would then need to be discarded. The adhesive is likely to cause irritation to sensitive skin at and around the stoma, especially in patients with a sensitive or allergic reaction to generally used adhesive materials.

It is an object of the present invention to provide a mounting for a tracheostoma cannula which provides a more effective air seal between the cannula and the stoma than is provided by conventional resilient cannula materials alone.

It is a further object of the present invention to provide a mounting for a tracheostoma cannula which mitigates some of the disadvantages of mountings based on adhesive sheet or tape.

Druckexemplar

EFU3/38268:6 PGTGB:03:02473

AMENDED CLAIMS 7112 Rec'd POT/PTO 0 5 JAN 2005

[Received by the International Bureau on 28 November 2003 (28.11.2003); original claims 1-12 replaced by amended claims 1-1 (3 pages)]

- 1. A tracheostoma cannula mounting for assisting in the mounting of a cannula within a stoma of a tracheostoma patient comprising a generally planar sheet portion provided with an aperture therein of suitable size and shape to engage a channel portion of a tracheostoma cannula in interference fit so as to present a rearward mounting face adapted in use to lie against the skin of the tracheostoma patient in the vicinity of the stoma, wherein the material from which the sheet is fabricated comprises tacky silicone gel material at least in the vicinity of the mounting face.
 - 2. A tracheostoma cannula mounting in accordance with claim 1 wherein the inner edge defining the aperture in the mounting member presents a surface of tacky gel material to contact with the cannula in use.
 - 3. A tracheostoma cannula mounting in accordance with claim 1 or claim 2 wherein the sheet portion comprise a tacky gel layer in a multi-layer sheet.
- 4. A tracheostor

15

20

25

- 4. A tracheostoma cannula mounting in accordance with claim 1 or claim 2 wherein the sheet portion consists essentially solely of the tacky gel material, save for an optional thin layer of non-tacky protective material at edges and/or faces of the sheet portion which are adapted to lie externally in use and/or be removed prior to use.
- 5. A tracheostoma cannula mounting in accordance with any preceding claim wherein the aperture in the sheet portion of the mounting member is generally circular and shaped and sized to engage the outer

10

15

12

circumference of the channel portion of a generally cylindrical cannula in interference fit.

- 6. A tracheostoma cannula mounting in accordance with claim 5 wherein 5 the mounting member is generally circular, such that the mounting member comprises an annular portion of sheet material.
 - 7. A tracheostoma cannula mounting in accordance with any preceding claim wherein the sheet material is 1 to 7 mm thick.
 - A tracheostoma cannula mounting in accordance with any preceding 8. claim further comprising a removable non-tacky protective layer over the mounting surface which can readily be removed by a user to expose the tacky surface of the gel to allow the mounting member to be applied.
- 9. A tracheostoma cannula comprising a central channel portion adapted to be received through a stoma, a forward portion adapted to sit externally of the stoma in use and a mounting portion adapted to sit within the trachea abutting an internal surface of the stoma in use, and comprising a flange portion of increased cross section to the body portion so as to 20 assist in retaining the cannula within the stoma, and further comprising a mounting in accordance with any preceding claim comprising a sheet portion provided with an aperture so sized and shaped as in use to be retained around the channel portion of the cannula immediately external 25 of the stoma in interference fit, so as to present a mounting face engageable upon the external surface of the tracheal region of the wearer in the vicinity of the stoma in use.
- 10. A method of sealably mounting a cannula in a tracheostoma comprises 30 the steps of inserting a cannula into the stoma, applying a mounting in

PCT/GB2003/002473

accordance with any of claims 1 to 9 therearound so as to present the mounting face to the skin of the external surface of the tracheal region of a wearer in the vicinity of the stoma, applying pressure to effect a releasable seal between mounting face and skin.

5

A tracheostoma cannula mounting, a tracheostoma cannula assembly, or 11. a method substantially as hereinbefore described with reference to the accompanying drawings.